



Figure 4

Gunnison Energy Corporation


WELLBORE DIAGRAM
STEVENS GULCH #1

Location: 2195' FNL, 1115' FEL (SENE)
Sec. 1, T13S, R92W, Delta Co, CO

Elevation: 8028' GL

FORMATION TOPS

Wasatch	N/A
Ohio Creek	Surface
Upper Mesa Verde	616'
Cameo Coals:	
E Seam	1192'
D Seam	1504'
C Seam	1694'
B Seam	1782'
A Seam	1840'
Rollins	1904'
Mancos Tongue	1998'
Cozzette	Undeveloped
Corcoran	Undeveloped
Mancos	1998'
TD	2400'



STIMULATION:

1783'-1800' w/ 3 SPF – Stimulated with 1,857 BBLs of fluid and 20/40 sand as a propping agent. Recovered 20%

1692' to 1700' - Stimulated with 1,085 BBLs of fluid and 20/40 sand as a propping agent. Recovered 18%

Commingled recovery 26%

PBTD @ 2109'

Driller's TD @ 2400'

CASING	HOLE SIZE	CMT. CU.FT.	CMT. BBLs	CMT. SACKS	TOP OF CMT.
CONDUCTOR	26"	108	19	94	SURFACE
SURFACE	12-1/4"	465	83	325	SURFACE
PRODUCTION 1	7-7/8"	488	87	270	1570' (CBL)
PRODUCTION 2	7-7/8"	467	83	160	960' (CBL)